



MICRO-TELECAMERE





codice	MT-001a	MT-001b	MT-001c
colore	bianco	bianco	bianco
descrizione	1/3" Sony Color CCD 600TVL OSD,0.01lux,Digital WDR, High Light inhibited	1/3" Sony Color CCD 600TVL 0.01lux,Digital WDR, High Light inhibited	1/3" Sony Color CCD 540TVL 0.1Lux
dimensioni	Φ116*93mm	Φ116*93mm	Φ116*93mm
voltaggio	DC12V/AC24V	DC12V 150mA DC12V1A	DC12V 150mA DC12V1A
lente	4-9mm Lens	4-9mm Lens	4-9mm Lens
IR led	OSD	18EA LED 20M	18EA LED 20M
CCD	639+RJ9	639+RJ7	639+2010
involucro	antivandalico	antivandalico	antivandalico



codice	MT-002a	MT-002b	MT-002c
colore	Grigio/bianco	Grigio/bianco	Grigio/bianco
descrizione	1/3" Sony Color CCD 600TVL	1/3" Sony Color CCD 540TVL	1/3" Sony Color CCD 480TVL
dimensioni	D60*H58mm	D60*H58mm	D60*H58mm
voltaggio	DC12V 120mA DC12V1A	DC12V 120mA DC12V1A	DC12V 120mA DC12V1A
lente	2.8/3.6mm Lens 0Lux	2.8/3.6mm Lens 0Lux	2.8/3.6mm Lens 0Lux
IR led	6xΦ5EA LED 5-10M	6xΦ5EA LED 5-10M	6xΦ5EA LED 5-10M
CCD	639+2040	639+2010	633+2010
involucro	antivandalico	antivandalico	antivandalico



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-003a	MT-003b	MT-003c
descrizione	1/3" Sony Color CCD 540TVL 0.05Lux	1/3" Sony Color CCD 540TVL	1/3" Sony Color CCD 480TVL
dimensioni	95(H)*95(D)mm	95(H)*95(D)mm	95(H)*95(D)mm
voltaggio	DC12V 100mA Adapter DC12V1A	DC12V 100mA Adapter DC12V1A	DC12V 100mA Adapter DC12V1A
lente	lowLux	-	-
IR led	no	no	no
CCD	639+2010	409+2010	405AK+2010
involucro	antivandalo	antivandalo	antivandalo



codice	MT-003d	MT-003e	MT-003f
descrizione	1/3" Sony Color CCD 420TVL 0.05Lux	1/3" Sony Super-HAD 420TVL	1/4" Sharp Color CCD 420TVL
dimensioni	95(H)*95(D)mm	95(H)*95(D)mm	95(H)*95(D)mm
voltaggio	DC12V 100mA Adapter DC12V1A	DC12V 100mA Adapter DC12V1A	DC12V 100mA Adapter DC12V1A
lente	lowLux	2.5" Dome 1.0Lux/3.6mm	2.5" Dome 1.0Lux/3.6mm
IR led	no	no	no
CCD	633+2010	405AK+3142	38603+2421
involucro	antivandalo	antivandalo	antivandalo



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-004a	MT-004b
descrizione	1/3" Sony Color CCD 520TVL	1/3" Sony Color CCD 420TVL
dimensioni	--	--
vtaggio	DC12V 200mA Adapter DC12V1A	DC12V 200mA Adapter DC12V1A
lente	3.6mm 3Axis bracket 0Lux	3.6mm 3Axis bracket 0Lux
IR led	4EA 10m	4EA 10m
CCD	405AK+3142	639AK+2010
involucro	plastica	plastica



codice	MT-005a	MT-005b	MT-005c	MT-005d
descrizione	1/3" Sony color CCD 540TVL	1/3" Sony Super-HAD 420TVL	1/4" Sony color CCD 420TVL	1/4" Sharp color CCD 420TVL
dimensioni	100*100*68mm	100*100*68mm	100*100*68mm	100*100*68mm
vtaggio	DC12V 120mA Adapter	DC12V 120mA Adapter	DC12V 120mA Adapter	DC12V 120mA Adapter
lente	3.6mm 0.1Lux	3.6mm 0.1Lux	3.6mm 0.1Lux	3.6mm 0.1Lux
IR led	--	--	--	--
CCD	639AK+2010	405AK+3142	227AK+3142	2421BB+38627
involucro	plastica	plastica	plastica	plastica



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-006a	MT-006b	MT-006c
descrizione	1.5inch 1/3" Sony Super-HAD CCD 420TVL	1.5inch 1/3" Sharp color CCD 420TVL	1.5inch 1/4" Sharp color CCD 420TVL
dimensioni	67.3X56mm	67.3X56mm	67.3X56mm
voltaggio	DC12V 120mA Adapter DC12V1A	DC12V 120mA Adapter DC12V1A	DC12V 120mA Adapter DC12V1A
lente	3.6/6mm Unavailable for silk-screen	3.6/6mm Unavailable for silk-screen	3.6/6mm Unavailable for silk-screen
IR led	--	--	--
CCD	405AK+3142	2321+38603	2421+38603
involucro	plastica	plastica	plastica



codice	MT-007a	MT-007b	MT-007c	MT-007d	MT-007e
colore	Nero, argento, baige	Nero, argento, baige	Nero, argento, baige	Nero, argento, baige	Nero, argento, baige
descrizione	1/3" Sony color CCD 540TVL	1/3" Sony Super-HAD CCD 420TVL	1/4" Sony color CCD 420TVL	1/3" Sharp color CCD 420TVL	1/4" Sharp color CCD 420TVL
dimensioni	Ø85*55mm	Ø85*55mm	Ø85*55mm	Ø85*55mm	Ø85*55mm
voltaggio	DC12V120mA AdapterDC12V1A	DC12V120mA AdapterDC12V1A	DC12V120mA AdapterDC12V1A	DC12V120mA AdapterDC12V1A	DC12V120mA AdapterDC12V1A
lente	3.6/6mm1.0Lux Unavailable for silk-screen	3.6/6mm1.0Lux Unavailable for silk-screen	3.6/6mm1.0Lux Unavailable for silk-screen	3.6/6mm1.0Lux Unavailable for silk-screen	3.6/6mm1.0Lux Unavailable for silk-screen
IR led	no	no	no	no	no
CCD	639AK+2010	405AK+3142	227+3142	2321+38603	2421+38603
involucro	plastica	plastica	plastica	plastica	plastica



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-008a	MT-008b	MT-008c
colore	Grigio, bianco	Grigio, bianco	Grigio, bianco
descrizione	1/3" Sony Color CCD 600TVL	1/3" Sony Color CCD 540TVL	1/3" Sony Color CCD 480TVL
dimensioni	168*96*86mm	168*96*86mm	168*96*86mm
voltaggio	DC12V 400mA DC12V1A	DC12V 400mA DC12V1A	DC12V 400mA DC12V1A
lente	3.6/6/8mm Lens 0Lux	3.6/6/8mm Lens 0Lux	3.6/6/8mm Lens 0Lux
IR led	24×Φ5EA LED 20-30M	24×Φ5EA LED 20-30M	24×Φ5EA LED 20-30M
CCD	639+2040	639+2010	633+2010
involucro	A prova di acqua IP67	A prova di acqua IP67	A prova di acqua IP67



codice	MT-009a	MT-009b	MT-009c
colore	nero	nero	nero
descrizione	1/3" Sony Color CCD 600TVL	1/3" Sony Color CCD 540TVL	1/3" Sony Color CCD 480TVL
dimensioni	53(L)*Φ35mm	53(L)*Φ35mm	53(L)*Φ35mm
voltaggio	DC12V 340mA DC12V1A	DC12V 340mA DC12V1A	DC12V 340mA DC12V1A
lente	2.8/3.6mm Lens 0Lux Unavailable for silk-screen	2.8/3.6mm Lens 0Lux Unavailable for silk-screen	2.8/3.6mm Lens 0Lux Unavailable for silk-screen
IR led	8×Φ5EA LED 5-10M	8×Φ5EA LED 5-10M	8×Φ5EA LED 5-10M
CCD	639+2040	639+2010	633+2010
involucro	A prova di acqua IP67	A prova di acqua IP67	A prova di acqua IP67



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-010a	MT-010b	MT-010c
descrizione	1/3" Sony Super HAD CCD, 540TVL	1/3" Sony color CCD, 540TVL	1/3" Sony color CCD, 480TVL
dimensioni	61*76*155mm	61*76*155mm	61*76*155mm
vtaggio	DC12V 240mA Adapter DC12V1A	DC12V 240mA Adapter DC12V1A	DC12V 240mA Adapter DC12V1A
lente	HQ1	DaiWon 3.6/6mm 0Lux Lightning proof+bracket	DaiWon 3.6/6mm 0Lux Lightning proof+bracket
IR led	24EA 10-15m	24EA 10-15m	24EA 10-15m
CCD	409AK+3172	639+2010	405AK+2010
involucro	IP66	IP66	IP66



codice	MT-011a	MT-011b	MT-011c
descrizione	1/3" Sony Color CCD 600TVL	1/3" Sony Color CCD 540TVL	1/3" Sony Color CCD 480TVL
dimensioni	128x90x70mm	128x90x70mm	128x90x70mm
vtaggio	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A
lente	600TVL	3.6mm+bracket	3.6mm+bracket
IR led	23EA20M	23EA20M	23EA20M
CCD	639+2170	639AK+2010	405AK+2010
involucro	IP66	IP66	IP66



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-011d	MT-011e	MT-011f
descrizione	1/3" Sony Super HAD CCD 420TVL	1/4" Sony Color CCD 420TVL	1/4" Sharp Color CCD 420TVL
dimensioni	128x90x70mm	128x90x70mm	128x90x70mm
voltaggio	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A
lente	3.6mm+bracket	3.6mm+bracket	3.6mm+bracket
IR led	23EA20M	23EA20M	23EA20M
CCD	405AK+3142	227AK+3142	38603+2421
involucro	IP66	IP66	IP66



codice	MT-012a	MT-012b
colore	Blu, rosso, bianco, argento	Blu, rosso, bianco, argento
descrizione	1/3" Sony Super HAD CCD,500TVL 0.3Lux (IR on cover 0lux)	1/3" Sony Super HAD CCD,420TVL 0.3Lux(IR on cover 0lux)
dimensioni	D45xL63	D45xL63
voltaggio	DC12V 150mA Adapter DC12V1A	DC12V 150mA Adapter DC12V1A
lente	6mm +bracket Unavailable for silk-screen	6mm +bracket Unavailable for silk-screen
IR led	12EA 15M	12EA 15M
CCD	409AK+4103	405AK+3142
involucro	IP67	IP67



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-013a	MT-013b	MT-013c	MT-013d	MT-013e
descrizione	1/3" Sony Color CCD,600TVL	1/3" Sony Color CCD,540TVL	1/3" Sony Super Had CCD 480TVL	1/3" Sony Super Had CCD 420TVL	1/4" SHARP Color CCD 420TVL
dimensioni	80*Φ58	80*Φ58	80*Φ58	80*Φ58	80*Φ58
voltaggio	DC12V 220mA Adapter DC12V1A	DC12V 220mA Adapter DC12V1A	DC12V 220mA Adapter DC12V1A	DC12V 220mA Adapter DC12V1A	DC12V 220mA Adapter DC12V1A
lente	600TVL	3.6/6mm+bracket	3.6/6mm+bracket	3.6/6mm+bracket	3.6/6mm+bracket
IR led	12EA 10-15m	12EA 10-15m	12EA 10-15m	12EA 10-15m	12EA 10-15m
CCD	409AK+3172	639AK+2010	409AK+4103	405AK+3142	38603+2421
involucro	IP66	IP66	IP66	IP66	IP66



codice	MT-014a	MT-014b	MT-014c
descrizione	1/3" Sony Color CCD 540TVL	1/3" Sony Color CCD 540TVL	1/3" Sony Super-HAD 420TVL
dimensioni	70*57*100 mm	70*57*100 mm	70*57*100 mm
voltaggio	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A
lente	Low Lux 0.05LUX	3.6mm 0Lux+bracket	3.6mm 0Lux+bracket
IR led	23EA 20m	23EA 20m	23EA 20m
CCD	639+2010	405AK+2010	405+3142
involucro	IP55	IP55	IP55



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-014d	MT-014e	MT-014f
descrizione	1/4" Sony Color CCD 420TVL	1/3" Sharp Color CCD 420TVL	1/4" Sharp Color CCD 420TVL
dimensioni	70*57*100 mm	70*57*100 mm	70*57*100 mm
voltaggio	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A	DC12V 300mA Adapter DC12V1A
lente	3.6mm 0Lux+bracket	3.6mm 0Lux+bracket	3.6mm 0Lux+bracket
IR led	23EA 20m	23EA 20m	23EA 20m
CCD	227AK+3142	2311+38603	2421+38627
involucro	IP55	IP55	IP55



codice	MT-015a	MT-015b
descrizione	1/3" Sony Color CCD 540TVL 0.02Lux	1/3" Sony Color CCD 480TVL 0.02Lux
dimensioni		40*57*40mm
voltaggio	DC12V 100mA Adapter DC12V1A	DC12V 100mA Adapter DC12V1A
lente	0.02Lux,OSD Anti-flicker Motion Detect Privacy,Mirror	0.02Lux,OSD Anti-flicker Motion Detect Privacy,Mirror
IR led	--	--
CCD	639+2020	405+2020
involucro	--	--



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it



codice	MT-016a	MT-016b	MT-016c	MT-016d
descrizione	1/3" Sony Super-HAD CCD 520TVL	1/3" Sony Super-HAD CCD 480TVL	1/3" Sony Super-HAD CCD 420TVL	1/3" Sharp color CCD 420TVL 0.8 Lux
dimensioni	147*96mm	147*96mm	147*96mm	147*96mm
voltaggio	DC12V 110mA Adapter DC12V1A	DC12V 110mA Adapter DC12V1A	DC12V 110mA Adapter DC12V1A	DC12V 110mA Adapter DC12V1A
lente	Iris BLC AGC AWB 0.5Lux Unavailable for silk-screen	Iris BLC AGC AWB 0.5Lux Unavailable for silk-screen	Iris BLC AGC AWB 0.5Lux Unavailable for silk-screen	Iris BLC AGC AWB 0.5Lux Unavailable for silk-screen
CCD	409AK+3172	409AK+4103	405AK+3142	2321+38603



ETC – ECOLOGY

Soluzioni Energia Tecnologia

Via delle industrie, 14

26010 BAGNOLO CREMASCO (CR)

Telefono 0373 648425—Fax 0373 227002

www.etc-ecology.it info@etc-ecology.it